

Work Order ID 143651

March 17, 2016 2:20:23 PM

143651

Page 1

Item ID: D3705-043 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Instrument Panel Weldment
Start Date: 4/4/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 4/11/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: SA 20160318 Date: Tooling: Date: Run Start ***NR1***
QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3705	E

100 Weld per dwg A/R Aluminum rod Batch: M129399 0.00***100***

Large Fab

Memo 0.00

Large Fab

1-Assemble and weld as per dwg D3705 per QSI004

**** weld all around and buff weld smooth as indicate on dwg****

4 EL 16-4-26

110 QC9- Inspect visual per QSI004- Fusion Welds 0.00

110

QC

Memo 0.00

Quality Control

DAS

9

9-89

(4) 16-04-27

120 QC5- Inspect part completeness to step on W/O 0.00

120

QC

Memo 0.00

Quality Control

DAS

9

9-89

(4) 16-04-27

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : ☐ _____					

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
		OTHER : ☐							

Work Order ID 143651

March 17, 2016 2:20:23 PM

143651

Page 3

Item ID: D3705-043 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Instrument Panel Weldment
Start Date: 4/4/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 4/11/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC3- Inspect Part Finish	0.00							
160					DAS	4			APR 27 2016
QC	Memo	0.00			30				
Quality Control					9-89				

170 Identify as per dwg & Stock Location: ST529 0.00
170
Packaging Memo 0.00
Packaging

UMF 16-4-29

180 QC21- Final Inspection - Work Order Release 0.00
180
QC Memo 0.00
Quality Control

MLJ MAY 02 2016

UMF
16-4-29

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause		FAULT CATEGORY					
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		
		OTHER : ☐					

Picklist Print

March 17, 2016 2:20:28 PM

Page 1

Work Order ID: 143651

143651

Parent Item: D3705-043

D3705-043

Parent Item Name: Instrument Panel Weldment

Start Date: 4/4/2016

Required Date: 4/11/2016

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP Rev:A new issue 08-05-30 DD verified by:ec
IPP Rev:B 09-01-09 rev.C as per dwg DD verified by:ec IPP Rev:C as
per dwg RevD DD 10.04.27 verified by:EC IPP REV:D 12.12.03
REV PE1 DD VERF:JLM IPP REV:E 13.01.15 AS PER
DWG REV.E DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3705-1

Manufactured No

100

Each

1.0000

1

4

D3705-1

Main Panel

**

Q 16-4-25

Location

Loc Qty

Loc Code

143649x3

WA001

1

103564

1

D3705-3

Manufactured No

100

Each

9.0000

1

4

D3705-3

Cover Plate

**

Q 16-4-25

Location

Loc Qty

Loc Code


WA001

9

108406

9

4



D3705-041 INSTRUMENT PANEL ASSY

D3705-041 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N AND B/N PER DART QSI 044 6.1 (PERMANENT INK MARKER)
- 7) WEIGHT: 3.20 lbs

MS21075L3 NUTPLATE
REF

AN526C1032R6 SCREW
4 PL


D3705-5
ACCESS PANEL

D3705-043 INSTRUMENT
PANEL WELDMENT

B2-1


D3706-041 LOCK
BRACKET ASSEMBLY

D3707-3 MOUNTING LUG
2 PL




SECTION A-A SCALE 2X

AN3-3A BOLT
NAS1149D0332J WASHER
2 PL



ITEM	QTY -041	P/N	DESCRIPTION
	X	D3705-041	INSTRUMENT PANEL ASSY
1	1	D3335-1	SPRING
2	1	D3705-043	INSTRUMENT PANEL WELDMENT
3	1	D3705-5	ACCESS PANEL
4	1	D3706-041	LOCK BRACKET ASSEMBLY
5	1	D3706-5	PIN
6	2	D3707-3	MOUNTING LUG
7	2	AN3-3A	BOLT
8	4	AN526C1032R6	SCREW
9	1	NAS1149D0563J	WASHER (OR AN960JD516)
10	28	CR1122-3-02.5	RIVET
11	1	MS171498	SPRING SLOTTED TENSION PIN
12	14	MS21075L3	NUT PLATE
13	4	MS24693C272	SCREW
14	2	NAS1149D0332J	WASHER (OR AN960JD10L)



DETAIL B SCALE 2X

E	REVISED D3705-1/3 (NOW 0.75 TALLER - AFFECTS -1F/-3F); D3706-1/3 NOW D3706-041 AND BOLTED; ADD AN3-3A BOLT, NAS1149D0332J WASHER, D3706-041; 9.88 WAS 9.13 (ZNS D1-3, B3-3, C7-4); 6.000 WAS 7.150 (ZN C4-6); 3.20 lbs WAS 3.00 lbs. REASON: CIR12-4/PART12-188.	MB	12.11.30
D	ITEM 14 WAS AN960JD416 (ZN D3-1 AND C1-1). REASON: NCR#10-017.	MB	10.04.15
C	ADDED D3705-7/8-11 (SHEET 6); REMOVED MS35589-156 GROMMET; 9.31 AND 12.66 WERE 9.36 AND 12.61 (ZN B6-3); 0.190 WAS 1.50 (ZN D5-4); ADDED 0.204 HOLE (ZN D5-4); CR1122-3-02.5 WAS MS20426AD3-3. REASON: COMPLETED DESIGN OF FACE PLATES REQUIRED TO MOUNT INSTRUMENTS.	MB	08.11.20
B	ADDED MS35489-156; QTY. 14 MS21075L3 WAS QTY. 8; QTY. 28 MS20426AD3-3 WAS QTY. 16; MS171498 WAS TP-2; AN526C1032R6 WAS MS27039-1-08 & AN960JD10L (ZN D3-1); REDESIGNED D3705-1F FLAT PATTERN (ZN B6-3). REASON: GIVE MORE FLEXIBILITY TO CUSTOMER IN TERMS OF INSTRUMENT ARRANGEMENT	MB	08.08.07
A	NEW ISSUE	MB	08.05.26
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	12.11.30		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
D3705

REV. E
SHEET 1 OF 6



TITLE
INSTRUMENT PANEL ASSY

SCALE
NTS

COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

20160315
SA 143651

ITEM	-043 QTY.	P/N	DESCRIPTION
1	X	D3705-043	INSTRUMENT PANEL WELDMENT
3	1	D3705-1	MAIN PANEL
4	1	D3705-3	COVER PLATE




D3705-043 INSTRUMENT PANEL WELDMENT

D3705-043 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT BLACK (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 3.20 lbs
- 8) WELDING: PER DART QSI 004

RELEASED
2013-01-14

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3705	SHEET 2 OF 8
APPROVED		TITLE	SCALE
DE APPR.		INSTRUMENT PANEL ASS'Y	NTS
DATE	12.11.30	COPYRIGHT © 2003 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D3705-1/1F NOTES:


- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.080 THICK
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
(REF. DART SPEC. M6061T6S.080)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 1.65 lbs

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3705	REV. E
MFG. APPR.			SHEET 3 OF 6
APPROVED		TITLE INSTRUMENT PANEL ASSY	SCALE NTS
DE APPR.			
DATE	12.11.30	COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


RELEASED
2013-01-14




D3705-3F COVER PLATE FLAT PATTERN



**D3705-3 COVER PLATE
(MAKE FROM D3705-3F)**



**DETAIL E
SCALE 4X
4 PL**




**DETAIL F
SCALE 4X
4 PL**

RELEASE
2013-01-16

D3705-3/3F NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.080 THICK
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
(REF. DART SPEC. M6061T6S.080)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.82 lbs

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3705	SHEET 4 OF 8
APPROVED		TITLE	SCALE
DE APPR.		INSTRUMENT PANEL ASS'Y	NTS
DATE	12.11.30	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D3705-5 ACCESS PANEL

RELEASED
2013-01-14


D3705-5 NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.040 THICK
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
(REF. DART SPEC. M6081T6S.040)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT BLACK (4.3.5.7) PER DART QSI 005 4.3
- 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 7) IDENTIFICATION: IDENTIFY WITH DART P/N AND B/N PER DART QSI 044 6.1 (PERMANENT INK MARKER)
- 8) WEIGHT: 0.17 lbs


DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3705	SHEET 5 OF 8
APPROVED		TITLE	SCALE
DE APPR.		INSTRUMENT PANEL ASS'Y	NTS
DATE	12.11.30	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE LOANED FOR ANY PURPOSE, OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




D3705-7 FACE PLATE



D3705-9 FACE PLATE



D3705-11 FACE PLATE



**SIDE VIEW
TYP**

D3705-7/-9/-11 NOTES:

- 1) MATERIAL: 6061-T6 (OR 6061-T62) ALUMINUM SHEET, 0.063 THICK
PER AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
(REF. DART SPEC. M8061T6S.063)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT BLACK (4.3.5.7) PER DART QSI 005 4.3
- 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 7) IDENTIFICATION: IDENTIFY WITH DART P/N AND B/N PER DART QSI 044 6.1 (PERMANENT INK MARKER)
- 8) WEIGHT: D3705-7 = 0.22 lbs; D3705-9 = 0.18 lbs; D3705-11 = 0.19 lbs

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3705	SHEET 6 OF 6
APPROVED		TITLE	SCALE
DE APPR.		INSTRUMENT PANEL ASS'Y	NTS
DATE	12.11.30	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASE
2013-01-16